

UNCLASSIFIED

AD NUMBER

AD852875

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; FEB 1969. Other requests shall be referred to U.S. Army Mobility Equipment Research and Development Center, Fort Belvoir, VA 22060. This document contains export-controlled technical data.

AUTHORITY

USAMERDC Notice dtd 15 Jul 1977

THIS PAGE IS UNCLASSIFIED

AD852875

AD

Report No. 6

RESEARCH ON ELECTROCHEMICAL ENERGY CONVERSION SYSTEMS

Interim Technical Report

By

R. T. FDLEY, D. H. BDMKAMP,

and W. R. BAIRD

February 1969

To

U. S. ARMY MOBILITY

EQUIPMENT RESEARCH AND DEVELOPMENT CENTER

Fort Belvoir, Virginia


Prepared By

The American University

Washington, D. C.

Contract No. DA-44-009-AMC-1386(T)

DA Project/Task Area/Work Unit No. 1T061102A34A 00 023 EF



**Best
Available
Copy**

AD

Report No. 6

RESEARCH ON ELECTROCHEMICAL ENERGY CONVERSION SYSTEMS

Interim Technical Report

By

R. T. FOLEY, D. H. BOMKAMP,

and W. R. BAIRD

STATEMENT #2 UNCLASSIFIED February 1969

This document is subject to special export controls and each
transmittal to foreign government or foreign nationals may be
made only with prior approval of ~~the~~ ^{to} U. S. ARMY MOBILITY

EQUIPMENT RESEARCH AND DEVELOPMENT CENTER

Fort Belvoir, Virginia 22160

Prepared By

The American University

Washington, D. C.

Contract No. DA-44-009 AMC-1386(T)

DA Project/Task Area/Work Unit No. 1T061102A34A 00 023 EF

SUMMARY

The investigation of electrochemical energy conversion systems has involved two specific tasks. The first has dealt with measurements of the solubility of oxygen in organic liquids which might provide the basis for high energy batteries. The solubility of oxygen in γ -butyrolactone is 5.5 ml/100 ml, in propylene carbonate, 1.7, in dimethyl sulfoxide, 3.7, and in N-nitrosodimethylamine, 6.6. The physical method used for these determinations gives results about 2.7% low when compared with literature values for the solubility of oxygen in water. No change in solubility was observed in butyrolactone due to the presence of added electrolyte - up to 0.8 M lithium perchlorate.

The second task deals with the mathematical analysis of electrochemical energy conversion devices. Attention was given to the solution of kinetic equations describing the hydrogen-deuterium exchange of an hydrocarbon on a catalytic surface saturated with deuterium. Kinetic expressions for a five step successive reaction for methane are solved by matrix techniques. These techniques should be conveniently handled by a digital computer and the expressions can be corrected for temperature, flow rates, and other experimental parameters.

Table of Contents

	<u>Page</u>
Summary	1
Table of Contents	ii
List of Illustrations	iii
List of Tables	iv
I. Introduction	1
II. Task Four - Oxygen Electrode in Propylene Carbonate . . .	2
A. Objective	2
B. Solubility of Gases in Liquids	2
C. Methods for Determining Solubility of Gases in Liquids	3
D. Method and Apparatus Used	4
E. Results and Discussion	8
III. Task Seven - Mathematical Analysis of Electrochemical Energy Conversion Devices	15
A. Background	15
B. Discussion	16
C. Matrix Solution of Differential Equation	21
D. Conclusions	25
Literature Cited	26

series of solvents. This plot is usually linear and shows an inverse relationship between $\log \frac{1}{C}$ and γ (3). This relationship has been expressed by Guggenheim (4) as:

$$\log \frac{1}{C} = - \frac{4\pi r^2 \sigma + \gamma}{2.303 \gamma T}$$

or, the energy required to form a cavity in a liquid surface is proportional to the product of the surface tension and the area of the cavity. This expression holds for simple one component solvents, however fails for more complex systems.

The solubility has also been correlated as a function of solvent internal pressure (P_{int}), with the higher internal pressure being associated with the lower gas solubility (5).

From an empirical standpoint it has been observed that the solubility of a gas will increase as a function of its molecular weight and size. For simple gases and diatomic ones the order is $N_2 < H_2 < O_2 <$ and Ar .

C. Methods for Determining Solubility of Gases in Liquids.

Many methods are reported in the literature and generally may be classified in one of the following three categories:

- a) classical
- b) electronic method
- c) physical.

The most common method for determining solubility of gases in liquids is the classical method (6). This method involves the use of a stirrer, glass bulb, stopper, and a balance or manometer. A small amount of liquid, often water, is placed in a vessel which contains sufficient air to allow

List of Tables

Table I.	Solubility of oxygen in water ($25 \pm 0.5^{\circ}\text{C}$)	10
Table II.	Solubility of oxygen in organic solvents ($25 \pm 0.5^{\circ}\text{C}$)	11
Table III.	Solubility of oxygen in lithium perchlorate- methylacetone solutions	13

I. INTRODUCTION

This is the sixth semi-annual report of research on high-energy electrochemical energy conversion systems. Up until now the overall program has been divided into seven tasks:

1. Determination of open circuit potentials of a series of couples in various electrolytes, and at appropriate temperatures;
2. Determination of the reversibility of these couples;
3. Electrochemical studies of high-energy couples leading to evaluation of these couples as materials for construction of high-energy electrically rechargeable storage systems;
4. Determination of kinetic parameters and evaluation of the rate limiting factors of selected reactions of electrochemical couples at appropriate electrodes;
5. Determination of kinetic parameters of selected reactions at catalytic electrodes;
6. Investigation of ion transport processes in polymers and/or electrolytes at elevated temperatures, and
7. Mathematical analysis of performance characteristics of electrochemical energy conversion devices.

The first five semi-annual progress reports described work on Tasks 1, 2, 3, 4, 5, and 7. During the current period work continued on Tasks 6 and 7.

II. TASK FOUR - OXYGEN ELECTRODE IN PROPYLENE CARBONATE

A. Objective

In the third progress report (1) on this project the concept and theoretical advantages of the air electrode were discussed. To interpret the experimental results from mass transport considerations it is necessary to know the solubility of O_2 in propylene carbonate. To correlate our results with those obtained in other systems it is required to know the solubility of oxygen in organic solvents such as γ -butyrolactone, dimethyl sulfoxide, dimethyl formamide, and N -nitrosodimethylamine. A survey of the literature failed to yield the pertinent data on the solubility of O_2 in these solvents. For these reasons the solubility of O_2 was measured in a number of organic solvents.

B. Solubility of Gases in Liquids

There have been many approaches to the explanation of gas solubility in liquids including various ways of treating the experimental data. Some of these are discussed in the monograph by Hildebrand and Scott (2). None of the approaches have been universally applicable.

One of the more successful treatments of solubility data utilizes a plot of $\log L$ (Ostwald absorption coefficient*) against σ (solvent surface tension) for a given gas in a

* $L = v_g/v_s$ where v_g is volume of gas absorbed and v_s is volume of solvent absorbing.

series of solvents. This, in turn is usually linear and shows no direct relationship between Log L and r (3). This relationship has been represented by Guggenheim (4) as:

$$\log L = - \frac{4\pi r^2 \sigma + \gamma}{2.303 k T}$$

or, the energy required to form a cavity in a liquid surface is proportional to the product of the surface tension and the area of the cavity. This expression holds for simple one component solvent systems but fails for more complex systems.

The solubility has also been correlated as a function of solvent internal pressure ($\delta / \delta T$), with the higher internal pressure being associated with the lower gas solubility (5).

From an empirical standpoint it has been observed that the solubility of a gas will increase as a function of its molecular weight and size. For simple gases and diatomic gases the order is Ar, H₂, N₂, O₂, and Ne.

C. Methods for Determining Solubility of Gases in Liquids.

Many methods are reported in the literature and generally may be classified in one of the following terms or groups:

- a) chemical
- b) electric method
- c) physical.

The most common method used for the determination of solubility is the absorption method. In this method a known volume of gas is dissolved in a known volume of liquid. The concentration of oxygen in the liquid can be determined by titration with iodine solution which reacts with the sulfide ion to give

REVIEW OF THE LITERATURE

As mentioned earlier, there has been little research reported by, and to date, no one has attempted to use the tool of systematic review methodology to evaluate the available evidence on the effectiveness of the various forms of therapy used in the treatment of depression. Thus the purpose of this article is to review the available evidence on the effectiveness of cognitive behavioral therapy and psychotherapy, and to compare them to each other and to the pharmacological treatment of depression according to the criteria of the American Psychiatric Association.

Systematic reviews have been defined as "a detailed analysis of all relevant literature on a particular topic, and the synthesis of the results of those studies to determine their overall validity and generalizability." The goal of a systematic review is to identify all relevant studies, to evaluate the quality of the studies, and to synthesize the findings of the studies to determine the overall validity and generalizability of the findings. In this article, we will attempt to follow this process. We will begin by defining the terms of the search, then we will describe the methods used to identify the studies, and finally we will describe the results of the studies.

Systematic reviews have been defined as "a detailed analysis of all relevant literature on a particular topic, and the synthesis of the results of those studies to determine their overall validity and generalizability." The goal of a systematic review is to identify all relevant studies, to evaluate the quality of the studies, and finally we will describe the results of the studies.

Systematic reviews have been defined as "a detailed analysis of all relevant literature on a particular topic, and the synthesis of the results of those studies to determine their overall validity and generalizability." The goal of a systematic review is to identify all relevant studies, to evaluate the quality of the studies, and finally we will describe the results of the studies.

sification of the apparatus used by Garrison and Millett (9). This method was deemed sufficient to furnish results of the desired accuracy, i.e., about 1%. The apparatus was constructed relatively easily using commercially available glassware. It was possible to connect the apparatus to the existing vacuum distillation system so that an organic liquid could be degassed by vacuum distillation and the receiver for the distillate could become the reservoir for the gas solubility apparatus. Other modifications to the apparatus were possible to yield greater accuracy but the increased expense and difficulty of operation could not be justified.

The apparatus is schematically shown in figure 1 and is pictured along with the vacuum distillation apparatus in figure 2. This apparatus consists of two calibrated gas burettes joined at their bottoms. One of the burettes is attached to a rough liquid manometer to allow for maintenance of atmospheric pressure in one-half of the system. A large glass spiral is mounted on top of the other burette and provides a large area for gas absorption. As the degassed liquid is dripped from the reservoir into the spiral the liquid will flow down through the spiral as a thin film.

A constant surface area for absorption will then be presented to the gas. In simplest terms the two burettes is separated by a U-shaped column of liquid so that there is a decrease of pressure in the absorption tube which fits into the spiral, until atmospheric pressure is maintained in the absorption tube. The amount of gas absorbed is equal to the volume of liquid displaced for the major reservoir of the solvent.

The experimental procedure is carried out as follows:




Figure 1. An absorption apparatus for measurement of oxygen uptake in microorganisms.

NOT REPRODUCIBLE




Figure 2. Gas solubility apparatus and vacuum distillation outfit.

- 1) The solvent is degassed. This is accomplished by vacuum distillation using the Nester-Faust spinning band distillation column. The distillate is collected in a flask which is then attached to the top of the absorption apparatus via a ground glass fitting.
- 2) The U-portion connecting the two burettes is filled with pure solvent until the liquid stands at the zero level in both burettes.
- 3) The oxygen gas is flowed through the two burettes to completely fill them and to saturate the U- portion of solvent.
- 4) Both columns of gas are returned to atmospheric pressure and all outlets to the atmosphere are closed off.
- 5) The solvent in the reservoir is slightly pressurized with hydrogen to assume that it will flow into the apparatus. This is done through a gas inlet tube connected to the sample reservoir flask.
- 6) The solvent is dripped into the absorption spiral at a rate of about 2.5 ml/minute and collected in a volumetric flask as it flows out of the burette at the same rate.
- 7) After collecting some appropriate volume in the volumetric flask, such as 100 ml, the burettes are drained until the non-absorption side reads 0.0 ml. This indicates that that side is at atmospheric pressure. The amount of solvent above 0.0 in the absorption side is the amount of O_2 absorbed; this must be added to the volume collected.

E. Results and Discussion

One important modification made in the apparatus over that described by Morrison and Bilett (9) involved the use of a slight pressure head to maintain a flow of solvent into absorbin; burette. This pressurizing gas will be absorbed to some degree and then will be released into the spiral. This obviously decreases the observed solubility of oxygen in the organic

liquid by some magnitude. If the pressurizing gas is oxygen a large negative error would be expected. If the pressurizing gas were N₂, or H₂ a smaller error would be expected and the question was whether the error would be small enough to be tolerated. To investigate this effect and also to study the precision and accuracy of the method, a number of experiments were performed with water as the solvent. These values are reported in Table I. As expected, when O₂ was used as the pressurizing gas the values were quite low--by 58%. Although the pressurizing gas does not saturate the water during the time of exposure in the reservoir, considerable gas is absorbed. A series of experiments with N₂ as the pressurizing gas gave results that were 7.1% too low while H₂ produced an error of - 2.1%. The nitrogen runs are not replicates as certain improvements in technique were introduced as the experimental work progressed. For example, in the early work the elapsed time between degassing the solvent and running the experiment was often several hours. Values closer to the accepted literature value were obtained when the experiment was performed directly after degassing through vacuum distillation. Experiments N3, H1, and H2 were run in this manner and the average coefficient, 0.0277, was lower than the accepted 0.02847 value (8) by 2.7%. The results given below for oxygen solubilities in the organic liquids should then be assumed to be low by about 3% assuming that the solubility behavior in these organic solvents is similar to that in H₂O.

In Table II are given solubilities of oxygen in γ -butyrolactone, propylene carbonate, dimethyl sulfoxide, and N-nitrosodimethylamine.

Table I. Solubility of NO_2 in water ($25 \pm 0.5^\circ\text{C}$)

%	Structuring: gas	O_2/NO_2 ratio (v/v/v/v)	O_2 absorbed (ml/100 ml)	Atmospheric pressure (cm Hg)	C_1
1.1	N_2	3.1/1.3	3.0	761	0.003
1.2	N_2	2.1/1.2.0	2.0	751	0.027
1.1	N_2	7.4/295	2.05	-	0.026
1.2	N_2	10.5/320.9	2.7	-	0.025
1.3	N_2	3.0/125	2.9	-	0.027
1.4	N_2	7.0/224.8	2.4	-	(0.027)
0.1	O_2	2/10	1.0	751	0.017
0.1	O_2	1.2/101	1.6	751	0.017
0.3	O_2	1.6/150	0.67	752	0.0063
0.1	O_2	1.1/100	1.1	761	0.016
0.5	O_2	1.7/100	0.85	763	0.00003

Average C_1 (0.027) 0.00003

* Calculated $\text{C}_1 = \frac{\rho}{P} \cdot \frac{R \cdot T}{M} \cdot \frac{V_0}{V_0 + V_1} = \frac{1}{P} \cdot \frac{RT \cdot V_0}{M} \cdot \frac{V_0}{V_0 + V_1}$ at 25 $^\circ\text{C}$, 1 atm., 100 cm^3 of O_2 at 1 atm.

$$\text{C}_1 = \frac{1}{P} \cdot \frac{RT}{M} \cdot \frac{V_0}{V_0 + V_1} = \frac{1}{P} \cdot \frac{RT}{M} \cdot \frac{100}{100 + V_1}$$

Table II. Solubility of oxygen in organic
solvents ($^{\circ}5 \pm 0.5^{\circ}\text{C}$)

Solvent	Solubility (ml/100 ml)	Average ± s	Lit. value
γ -butyrolactone	5.2	0.0139	
	5.6		
	5.8		
	5.2		
Propylene carbonate	1.7	0.0153	
	1.6		
	1.7		
	1.7		
Dimethyl sulfoxide	3.8	0.0342	0.01; 0.2/100; (10)
	3.8		
	3.7		(6.4 ml/100 ml)
	3.6		
N -nitrodimethyl- amide	6.6	0.0705	5×10^{-3} ml (11)
	7.1		(11 ml + 1 ml/100 ml)
	6.0		

there is not much good data in the literature to cover our results, but it may be of interest to add a few figures. First, the solubility of LiNO_3 in water at 25°C is 1.8 g./100 ml. The solubility of LiNO_3 in methanol is 0.14 g./100 ml. The solubility of LiNO_3 in benzene is 0.01 g./100 ml. The solubility of LiNO_3 in acetone is 0.005 g./100 ml. The solubility of LiNO_3 in chloroform is 0.001 g./100 ml. The solubility of LiNO_3 in nitrobenzene is 0.0005 g./100 ml. It would appear that organic solvents are not particularly good solvents for an ionic compound such as LiNO_3 , especially if solubility is to be considered.

The following table gives some data on the effect of various organic solvents on the solubility of LiNO_3 . Data for the solubility of LiNO_3 in water at 25°C and for the solubility of LiNO_3 in various concentrations of lithium chloride are given in Fig. 2. Sufficient data are available for "qualitative" comparison in terms of strengths. It is evident that, to the extent that one has very little LiCl in a solution, the solubility of LiNO_3 in nitrobenzene is not much different from that in benzene, chloroform, or phosphoric acid.

There is a slight reduction in solubility of LiNO_3 in methanol, acetone, and chloroform, and a marked reduction in solubility in benzene, nitrobenzene, and nitroethane. There is a marked increase in solubility in nitroethane, chloroform, and phosphoric acid.

Table III. Solubility of oxygen in Lithium
Perchlorate - Butyrolactone Solutions

Concentration $(\text{LiClO}_4 \text{ (M)})$	Solubility (ml/100 ml)	ϵ
0.2	5.6	0.0513
0.45	5.8	0.0531
0.6	5.4	0.0495
0.8	5.6	0.0513




Fig. 3 O_2 SOLUBILITY IN BUTYROLACTONE
vs.
 LiClO_4 CONCENTRATION

a polyisobutylene saturated with oxygen by mechanical stirring or agitation with a gas diffuser could tend to yield high values. This might account for some of the results reported in the literature that appear to be high.

III. RATE EQUATIONS FOR THE DEUTERATION OF BENZENE

a. background

The reaction of hydrocarbons on a fuel cell catalyst is being studied by observing the H-D exchange of the hydrocarbon on the surface saturated with D₂. Studying the kinetics of this exchange is complicated by the large number of ways in which deuterated species can be formed, which makes solution of the rate expressions difficult. In this section techniques for solving the rate expressions for the successive deuteration of methane are described. Kinetic expressions for first order successive reactions of the type



have been solved for three step irreversible reactions. The rate expressions for the three step successive reaction are:

$$\frac{d[A]}{dt} = -k_1[A]$$

$$\frac{d[B]}{dt} = k_1[A] - k_2[B]$$

$$\frac{d[C]}{dt} = k_2[B]$$

These expressions can be integrated to the form:

$$[A] = [A_0] e^{-k_1 t}$$

$$[B] = [A_0] \left(e^{-k_1 t} - e^{-k_1 t} e^{-k_2 t} \right)$$

$$[C] = [A_0] \left\{ \left(e^{-k_1 t} - e^{-k_1 t} e^{-k_2 t} \right) e^{-k_2 t} \right\}$$

For a five step successive reaction,

$$A \xrightarrow{k_1} B \xrightarrow{k_2} C \xrightarrow{k_3} D \xrightarrow{k_4} E$$

solution of the rate expression by calculus methods would be difficult.

By use of other techniques, these expressions can be solved more efficiently.

B. Discussion

Solution of the rate expressions for a five step successive reaction would be desirable in order to create a model for reactions such as the successive one site exchange of D for H in CH_4 . When gaseous CH_4 is passed over a catalytic surface which has been exposed to D_2 such that all available sites are assumed to be occupied and only one exchange of D for H is made with each contact of the molecule with the surface, the reaction is:



If it is assumed that the rate of increase of a deuterated species is proportional only to the number of molecules of the lower deuterated species and the probability of transition from one species to the next higher deuterated species, first order reaction kinetics can be used for each transition between species and the rate expressions are:

$$(1) \quad \frac{d[\text{CH}_3\text{D}]}{dt} = k_{12} [\text{CH}_4] - k_{21} [\text{CH}_3\text{D}] \\ \frac{d[\text{CH}_2\text{D}_2]}{dt} = k_{23} [\text{CH}_3\text{D}] - k_{32} [\text{CH}_2\text{D}_2] \\ \frac{d[\text{CHD}_3]}{dt} = k_{34} [\text{CH}_2\text{D}_2] - k_{43} [\text{CHD}_3] \\ \frac{d[\text{CD}_4]}{dt} = k_{45} [\text{CHD}_3] - k_{54} [\text{CD}_4]$$

The solutions for these expressions are given in Appendix A and are:

$$(2) \quad (2) \quad (\text{CH}_3\text{D})_t = (\text{CH}_3\text{D})_0 e^{-k_{12} t}$$
$$(\text{CH}_2\text{D}_2)_t = (\text{CH}_2\text{D}_2)_0 \frac{e^{-k_{12} t} - e^{-k_{34} t}}{k_{34} - k_{12}}$$
$$(\text{CHD}_3)_t = (\text{CHD}_3)_0 \left\{ \frac{e^{-k_{12} t} - e^{-k_{34} t}}{k_{34} - k_{12}} + \frac{e^{-k_{34} t} - e^{-k_{54} t}}{k_{54} - k_{34}} \right\}$$

$$(CH_3)_2 = (CH_3)_0 \left\{ 1 + k_{11} \frac{H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right\}$$

$$+ \left(\frac{k_{11} H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right)^2$$

$$+ \left(\frac{k_{11} H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right)^3$$

$$(CH_3)_0 = (CH_3)_0 \left\{ 1 + k_{11} \frac{H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right\}$$

$$+ \left(\frac{k_{11} H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right)^2$$

$$+ \left(\frac{k_{11} H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right)^3$$

$$+ \left(\frac{k_{11} H_2}{H_2 + H_2^*} \left(\frac{1}{k_{11}} + \frac{1}{k_{12}} + \frac{1}{k_{13}} \right) \right)^4$$

Larson and Hall (12) assumed the expressions (1) to be applicable

in the H-D exchange of CH_4 on a deuterated silica-alumina surface. In the absence of the solutions to all the rate expressions, the authors solved the first rate expression for the value of k_{11} and assumed that the rate of exchange per hydrogen atom is $(\frac{1}{4}) k_{11}$, regardless of the molecule reacting, i.e., $k_{11} \cdot \frac{1}{4} k_{11} H_2, k_{11} = 2.5 k_{11}, -k_{11} \cdot \frac{1}{4} k_{11} H_2$. This assumption implies that the rate of H-D exchange is constant, with a correction made for the number of H's available. This assumption provided k values for the remainder of the rate expressions which were then numerically evaluated from the experimental data. The values calculated by the authors using this technique were consistent with the experimental values.

As a verification of the concentration expressions (2), the concentration of each of the deuterated species was calculated using the author's calculated value of k_{11} and the assumptions $k_{12} = \frac{1}{4} k_{11}, k_{13} = \frac{1}{4} k_{11}, k_{14} = \frac{1}{4} k_{11}$. The calculated values agree with the experimental values within experimental error, indicating that the assumptions regarding the k values are reasonable. However, with the concentration expressions (2), it would not have been necessary to make any assumptions regarding the k values, as each k can be solved for independently using these expressions.

Since the probability of a H-D exchange does appear to be independent of the species reacting, a binomial distribution of the deuterated species when at equilibrium is suggested where $P_x = \frac{4!}{x!(4-x)!} p^x (1-p)^{4-x}$. The use of the binomial distribution is allowed by inspecting the manner in which each of the deuterated species is formed. For example, in order to form D_2 , there must have been two contacts of the CH_4 molecule with the surface in which an H-D exchange occurred, and two contacts with the surface in which an H-D exchange did not occur. If $p=1/4$ is the probability of any particular H of CH_4 exchanging on the surface, then the probability of two successful exchanges and two unsuccessful exchanges is $p^2(1-p)^2 = (1/4)^2(3/4)^2$. Since the number of ways in which four H atoms taken two at a time can be arranged is $\frac{4!}{2!2!} = 6$, the total probability of forming D_2 is $P_2 = \frac{4!}{2!2!} (1/4)^2 (3/4)^2 = .211$.

The calculated values are:

$$P_0 = .316$$

$$P_1 = .422$$

$$P_2 = .211$$

$$P_3 = .077$$

$$P_4 = .004$$

The mean number of H atoms exchanged is $4(1/4) = 1$

When these probability values are expressed as a ratio:

$$(CH_3) \approx 1$$

$$(CH_2D) \approx 1.25$$

$$(CH_3D) \approx 1.1$$

$$(CH_2O) \approx 1.5$$

$$(CD_3) \approx 1.03$$

The equilibrium distribution of the deuterated species from ref(12)

are:

$$(CH_3) \approx 1$$


$$(CH_2D) \approx 1.25$$

$$(CH_3D) \approx 1.06$$

$$(CH_2O) \approx 1.06$$

$$(CD_3) \approx 1.03$$

Thus far it has been assumed that only one H-D exchange can occur when a specie contacts the surface. If more than one H-D exchange can occur on contact with the surface, the following diagram represents the ways in which deuterated species can be formed:



when first order reaction kinetics are assumed, the rate expressions are:

$$\frac{dC_{CH_4}}{dt} = -k_{CH_4}(CH_4) + k_{H_2}(H_2)$$

$$\frac{dC_{H_2O}}{dt} = k_{H_2}(H_2) - k_{CH_3}(CH_3) - k_{H_2}(H_2)$$

$$\frac{dC_{CH_3}}{dt} = k_{CH_3}(CH_3) + k_{H_2}(H_2) - k_{CH_3}(CH_3)$$

$$\frac{dC_{H_2}}{dt} = k_{CH_3}(CH_3) + k_{H_2}(H_2) + k_{H_2O}(H_2O) - k_{CH_3OH}(CH_3OH)$$

$$\frac{dC_{CH_3OH}}{dt} = k_{CH_3OH}(CH_3OH) + k_{H_2}(H_2) + k_{H_2O}(H_2O) - k_{CH_3}(CH_3)$$

The solutions to these expressions using the techniques described in Appendix A are: $C_{CH_4} = A - \frac{k_{CH_4}}{k_{H_2}}(e^{-k_{H_2}t} - e^{-k_{CH_4}t})$, $C_{H_2O} = C_{H_2} = C_{CH_3} = C_{H_2}$

$$(CH_3) = (CH_3)_0 e^{-k_{CH_3}t}$$

$$(CH_3OH) = (CH_3OH)_0 \left\{ \frac{k_{CH_3}}{k_{H_2}} \left(e^{-k_{H_2}t} - e^{-k_{CH_3}t} \right) \right\}$$

$$(H_2) = (H_2)_0 \left\{ \frac{k_{H_2}}{k_{CH_3}} \left(e^{-k_{CH_3}t} - e^{-k_{H_2}t} \right) + (H_2)_0 \right\}$$

$$\left\{ (H_2)_0 + \frac{k_{H_2}}{k_{CH_3}} \left(e^{-k_{CH_3}t} - e^{-k_{H_2}t} \right) \right\}$$

$$(CH_3OH) = (CH_3OH)_0 \left\{ \frac{k_{CH_3}}{k_{H_2}} \left(e^{-k_{H_2}t} - e^{-k_{CH_3}t} \right) \right\}$$

which is the same as the first expression

$\therefore (CH_3OH) = (CH_3OH)_0 \left\{ \frac{k_{CH_3}}{k_{H_2}} \left(e^{-k_{H_2}t} - e^{-k_{CH_3}t} \right) \right\}$

$= (CH_3OH)_0 \sqrt{\frac{k_{CH_3}}{k_{H_2}}} \cdot \sqrt{e^{-k_{H_2}t} - e^{-k_{CH_3}t}}$

$+ (CH_3OH)_0 \sqrt{\frac{k_{CH_3}}{k_{H_2}}} \cdot \sqrt{e^{-k_{CH_3}t} - e^{-k_{H_2}t}}$

$$\begin{aligned}
 & \text{C}_2\text{H}_5\text{OH} + \text{H}_2\text{O} \xrightarrow{k_1} \text{CH}_3\text{COOH} + \text{H}_2\text{O} \\
 & + \text{CH}_3\text{COOH} \xrightarrow{k_2} \text{CH}_3\text{COO}^- + \text{H}_3\text{O}^+ \\
 & - \text{CH}_3\text{COO}^- + \text{H}_3\text{O}^+ \xrightarrow{k_3} \text{CH}_3\text{COOH} \\
 & + \text{CH}_3\text{COOH} \xrightarrow{k_4} \text{CH}_3\text{COO}^- + \text{H}_3\text{O}^+ \\
 & + \text{CH}_3\text{COO}^- \xrightarrow{k_5} \text{CH}_3\text{COOH} \\
 & + \text{CH}_3\text{COOH} \xrightarrow{k_6} \text{CH}_3\text{COO}^- + \text{H}_3\text{O}^+ \\
 & + \text{CH}_3\text{COO}^- \xrightarrow{k_7} \text{CH}_3\text{COOH} \\
 & + \text{CH}_3\text{COOH} \xrightarrow{k_8} \text{CH}_3\text{COO}^- + \text{H}_3\text{O}^+
 \end{aligned}$$

When transitions between species other than by one site exchanges are prohibited, the above expressions become identical to the previous expressions.

C. Matrix Solution of Differential Equations

The technique used to solve the differential equations was that of "compartment analysis" as introduced by Beauchamp. (13,14). Each of the five species of the methane reaction is considered to be a "compartment." The number of molecules in each compartment is a function of time and the probability of a transition of a molecule into and from the compartment. At the moment the mechanism of transition between compartments is not important, rather it is desired to create a mathematical model which will explain the experimental values. The model then should describe the number of molecules in each compartment as a function of the above two variables. It follows that this model be exact and rigorous and be based on a minimum number of a priori assumptions. Once the exact model has been determined, assumptions can be made based on physical likelihood, valid approximations, etc. The purpose of the effort is to determine how the experimental data can be explained. This criteria usually being a least square error fit of the experimental values. Once the proper reaction parameters have been determined, mechanisms which are consistent with

the parameters can be postulated. If the experimental data can not be explained under any conditions, then the model created is not applicable.

The generalized linear differential equation

$$\frac{d^N}{dt^N} x_n = \sum_{k=1}^N A_{nk} x_k, \quad k = 1, 2, \dots, n.$$

can be rewritten in matrix notation

$$\frac{d}{dt} \begin{bmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{bmatrix} = \begin{bmatrix} A_{11} & A_{12} & \cdots & A_{1n} \\ A_{21} & A_{22} & \cdots & A_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ A_{n1} & A_{n2} & \cdots & A_{nn} \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{bmatrix}$$

$$\Rightarrow \dot{\mathbf{x}} = K\mathbf{x}$$

The solution of this matrix equation is $\mathbf{x} = e^{Kt} \mathbf{x}_0$

$$\begin{bmatrix} x_1(t) \\ x_2(t) \\ \vdots \\ x_n(t) \end{bmatrix} = \begin{bmatrix} e^{\lambda_{11}t} & e^{\lambda_{12}t} & \cdots & e^{\lambda_{1n}t} \\ e^{\lambda_{21}t} & e^{\lambda_{22}t} & \cdots & e^{\lambda_{2n}t} \\ \vdots & \vdots & \ddots & \vdots \\ e^{\lambda_{n1}t} & e^{\lambda_{n2}t} & \cdots & e^{\lambda_{nn}t} \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{bmatrix}$$

where the vector \mathbf{x}_0 is the value of $\mathbf{x}(0)$ at time 0.

Equation (15) shows the solution of the matrix eq. (14) to be

$$e^{Kt} = \sum_{j=1}^n \frac{\prod_{i \neq j} (\lambda_i - \lambda_j)}{\prod_{i=1}^n (\lambda_i - \lambda_j)} x_j$$

where the $\lambda_1, \lambda_2, \dots, \lambda_n$ are the n different complex roots of the determinant K .

Using this method of solution, Diagram (16) shows the solution for the reaction: $A_1 + A_2 \rightarrow A_3 + A_4$

The rate differential equations are:

$$\frac{d[A_1]}{dt} = -k_{12}[A_1][A_2]$$

$$\frac{d[A_2]}{dt} = -k_{12}[A_1][A_2] + k_{21}[A_3][A_4]$$

$$\frac{d[A_3]}{dt} = k_{21}[A_3][A_4]$$

In matrix notation, $\dot{\mathbf{C}} = \mathbf{K}\mathbf{C}$

the solution being $\mathbf{C}(t) = e^{\mathbf{K}t} \mathbf{C}_0$

$$\text{where } \mathbf{K} = \begin{bmatrix} 0 & -k_{12} & 0 & 0 \\ k_{12} & 0 & -k_{21} & 0 \\ 0 & k_{21} & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

The characteristic roots of \mathbf{K} are found by the roots of the determinant

$$(\lambda I - \mathbf{K}) \mathbf{C}_0 = 0$$

$$\left| \begin{array}{cccc} \lambda + k_{12} & 0 & 0 & 0 \\ k_{12} & \lambda + k_{21} & 0 & 0 \\ 0 & k_{21} & \lambda & 0 \\ 0 & 0 & 0 & \lambda \end{array} \right| = 0$$

The value of the roots are $\lambda_1 = -k_{12}, \lambda_2 = -k_{21}, \lambda_3 = -\sqrt{k_{12}k_{21}}, \lambda_4 = +\sqrt{k_{12}k_{21}}$

The value of $\mathbf{C}(t)$ is given by

$$\mathbf{C}(t) = \sum_{i=1}^4 \frac{1}{\lambda_i} \frac{C_0}{(t - \tau_i)} e^{\lambda_i t} = \frac{C_0}{k_{12}} e^{-k_{12}t} + \frac{C_0}{k_{21}} e^{-k_{21}t} + \frac{C_0}{\sqrt{k_{12}k_{21}}} \left[e^{-\sqrt{k_{12}k_{21}}t} \cos(\sqrt{k_{12}k_{21}}t) + \frac{C_0}{\sqrt{k_{12}k_{21}}} \sin(\sqrt{k_{12}k_{21}}t) \right]$$

evaluating the matrix products for $\lambda_1, \lambda_2, \lambda_3$

$$e^{Kt} = \frac{(W - \lambda_1 I)^{-1} W e^{-\lambda_1 t}}{W - \lambda_2 I} \frac{(W - \lambda_2 I)^{-1} W e^{-\lambda_2 t}}{W - \lambda_3 I} \frac{(W - \lambda_3 I)^{-1} W e^{-\lambda_3 t}}{(W - \lambda_1 I)(W - \lambda_2 I)(W - \lambda_3 I)} e^{Kt}$$

when these products are formed no addition is done by matrix addition.

$$e^{Kt} = \begin{bmatrix} e^{-\lambda_1 t} & 0 & 0 \\ 0 & e^{-\lambda_2 t} & 0 \\ 0 & 0 & e^{-\lambda_3 t} \end{bmatrix}$$

Substituting e^{Kt} into $C(t) = e^{Kt} C_0$

$$\begin{bmatrix} C_1 \\ C_2 \\ C_3 \end{bmatrix} = \begin{bmatrix} e^{-\lambda_1 t} & 0 & 0 \\ 0 & e^{-\lambda_2 t} & 0 \\ 0 & 0 & e^{-\lambda_3 t} \end{bmatrix} \begin{bmatrix} C_1 \\ C_2 \\ C_3 \end{bmatrix}$$

In instances where the initial concentrations are zero except for (C_1) , where at $t = 0$ $C_1 \neq 0$, only the first column of the matrix e^{Kt}

need be formed, which considerably reduces the time required in multiplying matrices.

The above treatment is similar to the matrix treatment for single differential equations for the purpose of illustrating the method. In the latter case the solution is obtained by direct application of the formula for the rate constant, $k = \ln(C_0/C_t)/t$, where C_0 and C_t are the initial and final concentrations.

D. Conclusions

Exact expressions have been derived for H-D exchange of methane on a surface of adsorbed deuterium. While the expressions are awkward to handle, valid approximations are available which will ease calculations.

From the symmetry of the expressions for the multiple site exchange, it appears that the expressions for other molecules can be deduced with a minimum of calculations.

There are several advantages to this method of solving kinetic expressions over calculus methods. In particular the matrix operations can be conveniently handled by a digital computer, not only to derive the concentration expressions but also to substitute experimental values into the rate expressions. Also in the matrix form, perturbation matrices can be included to apply any necessary corrections for temperature, flow rates, etc., without disturbing the original rate constant expressions.

References Cited

1. U. S. Patent No. 3,216,161, issued June 29, 1965, "A Method of Preparing a Poly(1,3-Dihydro-2H-1,2,4-Triazin-5-one) Compound Containing 2-methyl-5-oxo-1,2,4-Triazin-3-one Groups" (I), November 1967.
2. J. S. Miller and J. W. Gandy, "The Dihydro-1,2,4-Triazin-5-one Derivatives" in *Handbook of Heterocyclic Compounds*, ed. R. K. Campbell, p. 121 (1959).
3. J. S. Miller and J. W. Gandy, *J. Org. Chem.* 22, 1421 (1957).
4. J. S. Miller and J. W. Gandy, *J. Org. Chem.* 21, 1719 (1956).
5. J. S. Miller, *J. Org.* 18-19.
6. J. S. Miller, *J. Org.* 21, 3406 (1956).
7. G. Halpern and L. T. Foley, *J. American Chem. Soc.* 55, 616 (1933).
8. J. S. Miller and J. W. Gandy, *J. Org.* 22, 225-413 (1957).
9. T. S. Morrison and F. A. Miller, *J. Org.* 22, 2022.
10. "Dihydro-1,2,4-Triazin-5-one" (DHTO) Technical Bulletin by Swiss-Deutsch Corporation, May 1954.
11. J. S. Miller and J. W. Gandy, "Aromatic Dihydro-1,2,4-Triazin-5-one" Final Report on Contract AF-33(657)-24552(I), July 1957.
12. J. S. Miller and J. W. Gandy, *J. Org.* 22, 3011 (1957).
13. J. S. Miller and J. W. Gandy, *Chem. & Ind.* 22, 573 (1957).
14. J. S. Miller and J. W. Gandy, *Techn. Brief* 1, 219 (1957).
15. T. E. O'Neil, "Non-Halogenated Fire Retardant Agents" (II), *Ind. Eng. Chem.* 46, 101 (1954).
16. J. S. Miller, J. W. Gandy, and J. B. Miller, *J. Org.* 22, 467 (1957).

11 JOURNAL OF CLIMATE

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and table and orientation must be entered when the overall report is finalized)

DOCUMENT CONTROL DATA - RAD		(Security classification of title, body of abstract and table and annotation must be entered when the overall report is classified)	
1 ORIGINATING ACTIVITY (Corporate name)		2a REPORT SECURITY CLASSIFICATION Top Secret	
The University of Michigan, Ann Arbor, MI		2b GROUP	
3 REPORT TITLE Abstract on Effectiveness of the 3-Component System			
4 DESCRIPTIVE NOTES (Type of report and inclusive dates) J. R. H. (John R. H.)			
5 AUTHOR(S) (Last name, first name, initial) John R. H., B. S., M.S., Ph.D., D.Sc., F.R.S.			
6 REPORT DATE February 1962		7a TOTAL NO. OF PAGES 26 + 11	7b NO. OF REFS. 16
8a CONTRACT OR GRANT NO. DA-30-1200-1200 (2)		8b ORIGINATOR'S REPORT NUMBER(S)	
8c PROJECT NO. AF-1200-1200-00-000-00		8d OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
9 AVAILABILITY LIMITATION NOTICES Report is unclassified and distribution of this document will not be controlled, not releasable to foreign nationals.			
10 SUPPLEMENTARY NOTES		11 SPONSORING MILITARY ACTIVITY U.S. Army, USAF, U.S. Navy, U.S. Marine Corps, and Defense Dept. Centers for Disease Control	
12 ABSTRACT A comparison of electron beam energy ranges which effect involved the specific virus. The first range tested was 100-200 eV, followed by 200-300 eV, 300-400 eV, 400-500 eV, 500-600 eV, 600-700 eV, 700-800 eV, 800-900 eV, 900-1000 eV, 1000-1100 eV, 1100-1200 eV, 1200-1300 eV, 1300-1400 eV, 1400-1500 eV, 1500-1600 eV, 1600-1700 eV, 1700-1800 eV, 1800-1900 eV, 1900-2000 eV, 2000-2100 eV, 2100-2200 eV, 2200-2300 eV, 2300-2400 eV, 2400-2500 eV, 2500-2600 eV, 2600-2700 eV, 2700-2800 eV, 2800-2900 eV, 2900-3000 eV, 3000-3100 eV, 3100-3200 eV, 3200-3300 eV, 3300-3400 eV, 3400-3500 eV, 3500-3600 eV, 3600-3700 eV, 3700-3800 eV, 3800-3900 eV, 3900-4000 eV, 4000-4100 eV, 4100-4200 eV, 4200-4300 eV, 4300-4400 eV, 4400-4500 eV, 4500-4600 eV, 4600-4700 eV, 4700-4800 eV, 4800-4900 eV, 4900-5000 eV, 5000-5100 eV, 5100-5200 eV, 5200-5300 eV, 5300-5400 eV, 5400-5500 eV, 5500-5600 eV, 5600-5700 eV, 5700-5800 eV, 5800-5900 eV, 5900-6000 eV, 6000-6100 eV, 6100-6200 eV, 6200-6300 eV, 6300-6400 eV, 6400-6500 eV, 6500-6600 eV, 6600-6700 eV, 6700-6800 eV, 6800-6900 eV, 6900-7000 eV, 7000-7100 eV, 7100-7200 eV, 7200-7300 eV, 7300-7400 eV, 7400-7500 eV, 7500-7600 eV, 7600-7700 eV, 7700-7800 eV, 7800-7900 eV, 7900-8000 eV, 8000-8100 eV, 8100-8200 eV, 8200-8300 eV, 8300-8400 eV, 8400-8500 eV, 8500-8600 eV, 8600-8700 eV, 8700-8800 eV, 8800-8900 eV, 8900-9000 eV, 9000-9100 eV, 9100-9200 eV, 9200-9300 eV, 9300-9400 eV, 9400-9500 eV, 9500-9600 eV, 9600-9700 eV, 9700-9800 eV, 9800-9900 eV, 9900-10000 eV, 10000-10100 eV, 10100-10200 eV, 10200-10300 eV, 10300-10400 eV, 10400-10500 eV, 10500-10600 eV, 10600-10700 eV, 10700-10800 eV, 10800-10900 eV, 10900-11000 eV, 11000-11100 eV, 11100-11200 eV, 11200-11300 eV, 11300-11400 eV, 11400-11500 eV, 11500-11600 eV, 11600-11700 eV, 11700-11800 eV, 11800-11900 eV, 11900-12000 eV, 12000-12100 eV, 12100-12200 eV, 12200-12300 eV, 12300-12400 eV, 12400-12500 eV, 12500-12600 eV, 12600-12700 eV, 12700-12800 eV, 12800-12900 eV, 12900-13000 eV, 13000-13100 eV, 13100-13200 eV, 13200-13300 eV, 13300-13400 eV, 13400-13500 eV, 13500-13600 eV, 13600-13700 eV, 13700-13800 eV, 13800-13900 eV, 13900-14000 eV, 14000-14100 eV, 14100-14200 eV, 14200-14300 eV, 14300-14400 eV, 14400-14500 eV, 14500-14600 eV, 14600-14700 eV, 14700-14800 eV, 14800-14900 eV, 14900-15000 eV, 15000-15100 eV, 15100-15200 eV, 15200-15300 eV, 15300-15400 eV, 15400-15500 eV, 15500-15600 eV, 15600-15700 eV, 15700-15800 eV, 15800-15900 eV, 15900-16000 eV, 16000-16100 eV, 16100-16200 eV, 16200-16300 eV, 16300-16400 eV, 16400-16500 eV, 16500-16600 eV, 16600-16700 eV, 16700-16800 eV, 16800-16900 eV, 16900-17000 eV, 17000-17100 eV, 17100-17200 eV, 17200-17300 eV, 17300-17400 eV, 17400-17500 eV, 17500-17600 eV, 17600-17700 eV, 17700-17800 eV, 17800-17900 eV, 17900-18000 eV, 18000-18100 eV, 18100-18200 eV, 18200-18300 eV, 18300-18400 eV, 18400-18500 eV, 18500-18600 eV, 18600-18700 eV, 18700-18800 eV, 18800-18900 eV, 18900-19000 eV, 19000-19100 eV, 19100-19200 eV, 19200-19300 eV, 19300-19400 eV, 19400-19500 eV, 19500-19600 eV, 19600-19700 eV, 19700-19800 eV, 19800-19900 eV, 19900-20000 eV, 20000-20100 eV, 20100-20200 eV, 20200-20300 eV, 20300-20400 eV, 20400-20500 eV, 20500-20600 eV, 20600-20700 eV, 20700-20800 eV, 20800-20900 eV, 20900-21000 eV, 21000-21100 eV, 21100-21200 eV, 21200-21300 eV, 21300-21400 eV, 21400-21500 eV, 21500-21600 eV, 21600-21700 eV, 21700-21800 eV, 21800-21900 eV, 21900-22000 eV, 22000-22100 eV, 22100-22200 eV, 22200-22300 eV, 22300-22400 eV, 22400-22500 eV, 22500-22600 eV, 22600-22700 eV, 22700-22800 eV, 22800-22900 eV, 22900-23000 eV, 23000-23100 eV, 23100-23200 eV, 23200-23300 eV, 23300-23400 eV, 23400-23500 eV, 23500-23600 eV, 23600-23700 eV, 23700-23800 eV, 23800-23900 eV, 23900-24000 eV, 24000-24100 eV, 24100-24200 eV, 24200-24300 eV, 24300-24400 eV, 24400-24500 eV, 24500-24600 eV, 24600-24700 eV, 24700-24800 eV, 24800-24900 eV, 24900-25000 eV, 25000-25100 eV, 25100-25200 eV, 25200-25300 eV, 25300-25400 eV, 25400-25500 eV, 25500-25600 eV, 25600-25700 eV, 25700-25800 eV, 25800-25900 eV, 25900-26000 eV, 26000-26100 eV, 26100-26200 eV, 26200-26300 eV, 26300-26400 eV, 26400-26500 eV, 26500-26600 eV, 26600-26700 eV, 26700-26800 eV, 26800-26900 eV, 26900-27000 eV, 27000-27100 eV, 27100-27200 eV, 27200-27300 eV, 27300-27400 eV, 27400-27500 eV, 27500-27600 eV, 27600-27700 eV, 27700-27800 eV, 27800-27900 eV, 27900-28000 eV, 28000-28100 eV, 28100-28200 eV, 28200-28300 eV, 28300-28400 eV, 28400-28500 eV, 28500-28600 eV, 28600-28700 eV, 28700-28800 eV, 28800-28900 eV, 28900-29000 eV, 29000-29100 eV, 29100-29200 eV, 29200-29300 eV, 29300-29400 eV, 29400-29500 eV, 29500-29600 eV, 29600-29700 eV, 29700-29800 eV, 29800-29900 eV, 29900-30000 eV, 30000-30100 eV, 30100-30200 eV, 30200-30300 eV, 30300-30400 eV, 30400-30500 eV, 30500-30600 eV, 30600-30700 eV, 30700-30800 eV, 30800-30900 eV, 30900-31000 eV, 31000-31100 eV, 31100-31200 eV, 31200-31300 eV, 31300-31400 eV, 31400-31500 eV, 31500-31600 eV, 31600-31700 eV, 31700-31800 eV, 31800-31900 eV, 31900-32000 eV, 32000-32100 eV, 32100-32200 eV, 32200-32300 eV, 32300-32400 eV, 32400-32500 eV, 32500-32600 eV, 32600-32700 eV, 32700-32800 eV, 32800-32900 eV, 32900-33000 eV, 33000-33100 eV, 33100-33200 eV, 33200-33300 eV, 33300-33400 eV, 33400-33500 eV, 33500-33600 eV, 33600-33700 eV, 33700-33800 eV, 33800-33900 eV, 33900-34000 eV, 34000-34100 eV, 34100-34200 eV, 34200-34300 eV, 34300-34400 eV, 34400-34500 eV, 34500-34600 eV, 34600-34700 eV, 34700-34800 eV, 34800-34900 eV, 34900-35000 eV, 35000-35100 eV, 35100-35200 eV, 35200-35300 eV, 35300-35400 eV, 35400-35500 eV, 35500-35600 eV, 35600-35700 eV, 35700-35800 eV, 35800-35900 eV, 35900-36000 eV, 36000-36100 eV, 36100-36200 eV, 36200-36300 eV, 36300-36400 eV, 36400-36500 eV, 36500-36600 eV, 36600-36700 eV, 36700-36800 eV, 36800-36900 eV, 36900-37000 eV, 37000-37100 eV, 37100-37200 eV, 37200-37300 eV, 37300-37400 eV, 37400-37500 eV, 37500-37600 eV, 37600-37700 eV, 37700-37800 eV, 37800-37900 eV, 37900-38000 eV, 38000-38100 eV, 38100-38200 eV, 38200-38300 eV, 38300-38400 eV, 38400-38500 eV, 38500-38600 eV, 38600-38700 eV, 38700-38800 eV, 38800-38900 eV, 38900-39000 eV, 39000-39100 eV, 39100-39200 eV, 39200-39300 eV, 39300-39400 eV, 39400-39500 eV, 39500-39600 eV, 39600-39700 eV, 39700-39800 eV, 39800-39900 eV, 39900-40000 eV, 40000-40100 eV, 40100-40200 eV, 40200-40300 eV, 40300-40400 eV, 40400-40500 eV, 40500-40600 eV, 40600-40700 eV, 40700-40800 eV, 40800-40900 eV, 40900-41000 eV, 41000-41100 eV, 41100-41200 eV, 41200-41300 eV, 41300-41400 eV, 41400-41500 eV, 41500-41600 eV, 41600-41700 eV, 41700-41800 eV, 41800-41900 eV, 41900-42000 eV, 42000-42100 eV, 42100-42200 eV, 42200-42300 eV, 42300-42400 eV, 42400-42500 eV, 42500-42600 eV, 42600-42700 eV, 42700-42800 eV, 42800-42900 eV, 42900-43000 eV, 43000-43100 eV, 43100-43200 eV, 43200-43300 eV, 43300-43400 eV, 43400-43500 eV, 43500-43600 eV, 43600-43700 eV, 43700-43800 eV, 43800-43900 eV, 43900-44000 eV, 44000-44100 eV, 44100-44200 eV, 44200-44300 eV, 44300-44400 eV, 44400-44500 eV, 44500-44600 eV, 44600-44700 eV, 44700-44800 eV, 44800-44900 eV, 44900-45000 eV, 45000-45100 eV, 45100-45200 eV, 45200-45300 eV, 45300-45400 eV, 45400-45500 eV, 45500-45600 eV, 45600-45700 eV, 45700-45800 eV, 45800-45900 eV, 45900-46000 eV, 46000-46100 eV, 46100-46200 eV, 46200-46300 eV, 46300-46400 eV, 46400-46500 eV, 46500-46600 eV, 46600-46700 eV, 46700-46800 eV, 46800-46900 eV, 46900-47000 eV, 47000-47100 eV, 47100-47200 eV, 47200-47300 eV, 47300-47400 eV, 47400-47500 eV, 47500-47600 eV, 47600-47700 eV, 47700-47800 eV, 47800-47900 eV, 47900-48000 eV, 48000-48100 eV, 48100-48200 eV, 48200-48300 eV, 48300-48400 eV, 48400-48500 eV, 48500-48600 eV, 48600-48700 eV, 48700-48800 eV, 48800-48900 eV, 48900-49000 eV, 49000-49100 eV, 49100-49200 eV, 49200-49300 eV, 49300-49400 eV, 49400-49500 eV, 49500-49600 eV, 49600-49700 eV, 49700-49800 eV, 49800-49900 eV, 49900-50000 eV, 50000-50100 eV, 50100-50200 eV, 50200-50300 eV, 50300-50400 eV, 50400-50500 eV, 50500-50600 eV, 50600-50700 eV, 50700-50800 eV, 50800-50900 eV, 50900-51000 eV, 51000-51100 eV, 51100-51200 eV, 51200-51300 eV, 51300-51400 eV, 51400-51500 eV, 51500-51600 eV, 51600-51700 eV, 51700-51800 eV, 51800-51900 eV, 51900-52000 eV, 52000-52100 eV, 52100-52200 eV, 52200-52300 eV, 52300-52400 eV, 52400-52500 eV, 52500-52600 eV, 52600-52700 eV, 52700-52800 eV, 52800-52900 eV, 52900-53000 eV, 53000-53100 eV, 53100-53200 eV, 53200-53300 eV, 53300-53400 eV, 53400-53500 eV, 53500-53600 eV, 53600-53700 eV, 53700-53800 eV, 53800-53900 eV, 53900-54000 eV, 54000-54100 eV, 54100-54200 eV, 54200-54300 eV, 54300-54400 eV, 54400-54500 eV, 54500-54600 eV, 54600-54700 eV, 54700-54800 eV, 54800-54900 eV, 54900-55000 eV, 55000-55100 eV, 55100-55200 eV, 55200-55300 eV, 55300-55400 eV, 55400-55500 eV, 55500-55600 eV, 55600-55700 eV, 55700-55800 eV, 55800-55900 eV, 55900-56000 eV, 56000-56100 eV, 56100-56200 eV, 56200-56300 eV, 56300-56400 eV, 56400-56500 eV, 56500-56600 eV, 56600-56700 eV, 56700-56800 eV, 56800-56900 eV, 56900-57000 eV, 57000-57100 eV, 57100-57200 eV, 57200-57300 eV, 57300-57400 eV, 57400-57500 eV, 57500-57600 eV, 57600-57700 eV, 57700-57800 eV, 57800-57900 eV, 57900-58000 eV, 58000-58100 eV, 58100-58200 eV, 58200-58300 eV, 58300-58400 eV, 58400-58500 eV, 58500-58600 eV, 58600-58700 eV, 58700-58800 eV, 58800-58900 eV, 58900-59000 eV, 59000-59100 eV, 59100-59200 eV, 59200-59300 eV, 59300-59400 eV, 59400-59500 eV, 59500-59600 eV, 59600-59700 eV, 59700-59800 eV, 59800-59900 eV, 59900-60000 eV, 60000-60100 eV, 60100-60200 eV, 60200-60300 eV, 60300-60400 eV, 60400-60500 eV, 60500-60600 eV, 60600-60700 eV, 60700-60800 eV, 60800-60900 eV, 60900-61000 eV, 61000-61100 eV, 61100-61200 eV, 61200-61300 eV, 61300-61400 eV, 61400-61500 eV, 61500-61600 eV, 61600-61700 eV, 61700-61800 eV, 61800-61900 eV, 61900-62000 eV, 62000-62100 eV, 62100-62200 eV, 62200-62300 eV, 62300-62400 eV, 62400-62500 eV, 62500-62600 eV, 62600-62700 eV, 62700-62800 eV, 62800-62900 eV, 62900-63000 eV, 63000-63100 eV, 63100-63200 eV, 63200-63300 eV, 63300-63400 eV, 63400-63500 eV, 63500-63600 eV, 63600-63700 eV, 63700-63800 eV, 63800-63900 eV, 63900-64000 eV, 64000-64100 eV, 64100-64200 eV, 64200-64300 eV, 64300-64400 eV, 64400-64500 eV, 64500-64600 eV, 64600-64700 eV, 64700-64800 eV, 64800-64900 eV, 64900-65000 eV, 65000-65100 eV, 65100-65200 eV, 65200-65300 eV, 65300-65400 eV, 65400-65500 eV, 65500-65600 eV, 65600-65700 eV, 65700-65800 eV, 65800-65900 eV, 65900-66000 eV, 66000-66100 eV, 66100-66200 eV, 66200-66300 eV, 66300-66400 eV, 66400-66500 eV, 66500-66600 eV, 66600-66700 eV, 66700-66800 eV, 66800-66900 eV, 66900-67000 eV, 67000-67100 eV, 67100-67200 eV, 67200-67300 eV, 67300-67400 eV, 67400-67500 eV, 67500-67600 eV, 67600-67700 eV, 67700-67800 eV, 67800-67900 eV, 67900-68000 eV, 68000-68100 eV, 68100-68200 eV, 68200-68300 eV, 68300-68400 eV, 68400-68500 eV, 68500-68600 eV, 68600-68700 eV, 68700-68800 eV, 68800-68900 eV, 68900-69000 eV, 69000-69100 eV, 69100-69200 eV, 69200-69300 eV, 69300-69400 eV, 69400-69500 eV, 69500-69600 eV, 69600-69700 eV, 69700-69800 eV, 69800-69900 eV, 69900-70000 eV, 70000-70100 eV, 70100-70200 eV, 70200-70300 eV, 70300-70400 eV, 70400-70500 eV, 70500-70600 eV, 70600-70700 eV, 70700-70800 eV, 70800-70900 eV, 70900-71000 eV, 71000-71100 eV, 71100-71200 eV, 71200-71300 eV, 71300-71400 eV, 71400-71500 eV, 71500-71600 eV, 71600-71700 eV, 71700-71800 eV, 71800-71900 eV, 71900-72000 eV, 72000-72100 eV, 72100-72200 eV, 72200-72300 eV, 72300-72400 eV, 72400-72500 eV, 72500-72600 eV, 72600-72700 eV, 72700-72800 eV, 72800-72900 eV, 72900-73000 eV, 73000-73100 eV, 73100-73200 eV, 73200-73300 eV, 73300-73400 eV, 73400-73500 eV, 73500-73600 eV, 73600-73700 eV, 73700-73800 eV, 73800-73900 eV, 73900-74000 eV, 74000-74100 eV, 74100-74200 eV, 74200-74300 eV, 74300-74400 eV, 74400-74500 eV, 74500-74600 eV, 74600-74700 eV, 74700-74800 eV, 74800-74900 eV, 74900-75000 eV, 75000-75100 eV, 75100-75200 eV, 75200-75300 eV, 75300-75400 eV, 75400-75500 eV, 75500-75600 eV, 75600-75700 eV, 75700-75800 eV, 75800-75900 eV, 75900-76000 eV, 76000-76100 eV, 76100-76200 eV, 76200-76300 eV, 76300-76400 eV, 76400-76500 eV, 76500-76600 eV, 76600-76700 eV, 76700-76800 eV, 76800-76900 eV, 76900-77000 eV, 77000-77100 eV, 77100-77200 eV, 77200-77300 eV, 77300-77400 eV, 77400-77500 eV, 77500-77600 eV, 77600-77700 eV, 77700-77800 eV, 77800-77900 eV, 77900-78000 eV, 78000-78100 eV, 78100-78200 eV, 78200-78300 eV, 78300-78400 eV, 78400-78500 eV, 78500-78600 eV, 78600-78700 eV, 78700-78800 eV, 78800-78900 eV, 78900-79000 eV, 79000-79100 eV, 79100-79200 eV, 79200-79300 eV, 79300-79400 eV, 79400-79500 eV, 79500-79600 eV, 79600-79700 eV, 79700-79800 eV, 79800-79900 eV, 79900-80000 eV, 80000-80100 eV,			

DD FORM 1 JAN 60 1473

• 19 •

Security Classification

Second Classification

INSTRUCTIONS

coupled The argument of the verb is
optional